
Philosophies of Sustainable Design





chartwell school

source: hopes.uoregon.edu/system/files?file=design_for_deconstruction.pdf



DfD Project:

Hamer Centre + EHDD Architecture

The Hamer Center is engaged with local governments, housing agencies, environmental organizations, and architects in an international initiative to develop principles and practices of "Design for Building Disassembly" (DfD). This initiative includes discussions with Canadian counterparts to make design for building disassembly part of mainstream architectural practice. Building DfD is design that uses methods and materials of design and construction to allow buildings to be flexible, adaptable and dismantleable at all stages of their lives. This includes formal design, and design processes, and also reexamining materials selection and connection details in light of facilitating materials recovery and continued life of the materials.

source: http://www.hamercenter.psu.edu/gallery/project_3_index.htm






Chartwell School Multi-Use Building

EHDD ARCHITECTURE




Chartwell School Site Plan



Classroom Framing Section

EHDD ARCHITECTURE




Chartwell School

Materials Embodied Carbon Emissions

EHDD ARCHITECTURE

Design for Recovery:



SPEC SECTION		EXPECTED LIFESPAN *					WEIGHT PER UNIT	ACTUAL WEIGHT OF MATERIALS	EMBODIED CO ₂ /TON PER UNIT		SALVAGED MATERIALS AVAILABLE?
3300	Concrete Slab on Grade	100	easy	recycling	low	538 cy	2.025 tons/cy	1085 tons	0.15	163 tons	yes (aggregate and fly ash)
3320	Concrete Site Paving	50	medium	salvage	low	413 cy	2.025 tons/ cy	836 tons	0.15	125 tons	yes (aggregate and fly ash)
5100	Reinforcing Steel	100	easy	recycling	medium	28,443 lf	.88 lbs/ sf of concrete	9.5 tons	1.05	10 tons	no
6120	Agriboard	100	easy	salvage	medium	16372 sf	13 lbs/sf (8" panel)	106 tons	0 **	0	no
6170	Wood - Wall Studs	100	medium	salvage	medium	21,000 LF (or Board Feet)	27 pcf (Fir)	23.6 tons	0	0	yes
6200	Exterior Wood Siding	50	easy	salvage	high	2900 board feet or 241.5 cf	26 pcf (Redwood)	3.14 tons	0	0	yes
6200	Interior wood T&G paneling	100	easy	salvage	high	1167 board feet = 63.6 cf	26 pcf (redwood)	0.83 tons	0	0	yes
6410	Plywood for Casework	50	medium	salvage	medium	892,069 cu. In	.022 lbs/cu in	9.8 tons	0	0	no
7210	Batt Insulation	50	medium	recycling	low	15,000 sf (wall) 4,500 sf (roof)	.28 psf (R-19)	3.1 tons	1.5	4.7 tons	no
7412	Standing Seam Metal Roofing	25	easy	recycling	medium	11660 sf 8745 lf	2.2 lbs / lf	9.6 tons	1.05	10.1 tons	no
8212	Flush Wood Doors	50	easy	salvage	low	12 doors (3'x7') 252 sf	5.3 lbs/sf	.67 tons	0	0	yes
8800	Glass	50	medium	recycling	low	7870 sf	3.28 psf	12.9 tons	1.3	16.8	no
9220	Cement Plaster	50	hard	NA	NA	9800 sf	12 psf	58.8 tons	0.2	11.8 tons	no
9250	Gypsum Board	50	medium	recycling	low	38,500 sf	2 lbs/sf	38.5 tons	0.2	7.7 tons	no
9300	Ceramic Tile	75	medium	salvage	low	1300 sf	2.5 psf	1.63 tons	1.4	2.3 tons	yes
9648	Bamboo Flooring	50	medium	salvage	high	4,609 sf	2.04 psf	4.7 tons	0	0	no
9688	Sheet Carpet	25	easy	recycling	low	11,896 sf	120 oz/yrd	14.9 tons	3.1	46 tons	no


* assuming adequate maintenance of weather envelope


** wood and other agricultural products sequester carbon



EFFICIENT FRAMING

Efficient framing design utilizes larger framing members spaced at 24" o.c. instead of 16" o.c. This achieves not only an initial reduction in material use but eases disassembly as well.








source: http://www.chps.net/




CHPS BEST PRACTICES MANUAL DESIGN @ 2006 CHPS, INC






Roof Construction

EHDD ARCHITECTURE




STRUCTURAL INSULATED PANELS (SIP) W/ SIP SCREWS OVER COMPOSITE TRUSSES



PLYWOOD SHEATHING W/ EDGE NAILS OVER WOOD JOISTS AND INSULATION


SIPS Connection


EHDD ARCHITECTURE



EHDD ARCHITECTURE

Truss Connection





EHDD ARCHITECTURE




Removable Siding Options





Removable Siding Options

EHDD ARCHITECTURE



Removable Interior Wood Paneling



Removable Interior Paneling





Removable Interior Paneling


EHDD ARCHITECTURE


WINDOW DETAILING

Windows are replaced on average every 25 years. Designing openings so that windows can be removed without damaging exterior cladding or interior finishes will reduce renovation costs and construction waste over time.









REMOVABLE WINDOW : DETAIL B

EHDD ARCHITECTURE

Removable Window Details

Material Flows

- Assuming disassembly is possible, material flows must be identified that acknowledge whether a material is:
 - RECYCLABLE
 - COMPOSTABLE
 - DISPOSED (no choice but to be waste)
 - TOXIC (avoid if possible)

Acknowledgement for the following content and diagrams to the thesis of Scott Proudfoot, 2017.



- McDonough and Braungart's concept of technical nutrients, man-made substances that can be renewed by industry, is here termed recyclable.
- Effective recycling depends on the strict meaning of recycling, returning materials back to their original use.





- Compostable materials emerge from the concept of biological nutrients. Plant matter is harvested, used, and left to decompose at end of life.
- Leveraging the environment for production and disposal creates a far smaller ecological footprint than mined materials.

DISPOSED

- Materials extracted for a single use encompass most of what we build with today. Many of these, like gravel, will not be exhausted any time soon. However they form the bulk of waste.
- <u>Downcycled materials</u> also appear here, as they are designed for only one use in their current form.

TOXIC

- A surprising number of building materials are toxic to their occupants or the environment.
- Removing these from use is a priority, as managing them in waste streams is a long term problem without immediately obvious or economically viable solutions.



TOXIC RED LIST

Compiled by the Living Future Institute:

- Alkylphenols
- Asbestos
- Bisphenol A (BPA)
- Cadmium
- Chlorinated Polyethylene and Chlorosulfonated Polyethlene
- Chlorobenzenes
- Chlorofluorocarbons (CFCs) and Hydrochlorofluorocarbons (HCFCs)
- Chloroprene (Neopene)
- Chromium VI
- Chlorinated Polyvinyl Chloride (CPVC)
- Formaldehyde (added)
- Halogenated Flame Retardants (HFRs)

- Lead (added)
- Mercury
- Polychlorinated Biphenyls (PCBs) Perfluorinated Compounds (PFCs)
- Phthalates
- Polyvinyl Chloride (PVC)
- Polyvinylidene Chloride (PVDC)
- Short Chain Chlorinated Paraffin
- Wood treatments containing Creosote, Arsenic or Pentachlorophenol
- Volatile Organic Compounds (VOCs) in wet applied products

https://living-future.org/declare/about/red-list/

White List (Masterformat)


Div.	Material	End of life	Div.	Material	End of life	
03	Concrete	Downcycled		Polystyrene foam	Landfilled	
04	Mortared masonry Glued masonry Toxic glazes, pigments	Reusable Inseparable Toxic		Flat roofing products Painted metal roofs Caulking	Toxic, inseparable inseparable Inseparable	
05	Steel Aluminum Copper Stainless steel Galvanized steel Lead Mercury	Recyclable Recyclable Recyclable Recyclable Toxic heavy metal Toxic heavy metal	08	Aluminum and steel frames Vinyl frames Glass Coated glass Laminated glass Tinted glass 'Smart windows"	Recyclable Toxic chlorine Recyclable Inseparable Inseparable inseparable, possibly toxic Inseparable, possibly toxic	
06	Wood Polyethylene Polyvinyl chloride Pressure treated lumber Neoprene Chlorinated plastics Epoxy Formaldehyde glues Composites	Compostable Recyclable Toxic chlorine Toxic arsenic and creosote Toxic chlorine Toxic chlorine Toxic chlorine Toxic bisphenol A Toxic Inseparable	09	Plaster Gypsum board Fastened panelling Tile Concrete flooring Wood flooring Vinyl flooring Fluid applied flooring Carpet	Downcycled Downcycled Recyclable or compostable Downcycled Downcycled Sometimes recyclable Toxic Inseparable Some are recyclable	
07	' Tyvek (spun polyethylene) Polyethylene film Cellulose fibres Straw Rockwool	' Recyclable Compostable Compostable Recyclable				

Sticky things...

The following finishes are only appropriate where the base material and finish can biodegrade together.

Most paints Glued anything Composites Inseparable Inseparable Inseparable

Not so simple Vinyl Trim




An inherent issue with any building product manufactured from PVC:

- Window frames
- Roofing membranes
- Plumbing pipes
- Baseboards, trim, etc.

Not so innocent Wood??

Wood is naturally biodegradable so most wood exposed to the environment has been protected with toxic materials to slow degradation.



Changed Wood Treatment Required

→ Methanol

Methanol is a solvent commonly produced from natural gas, it can also be fermented by yeasts.

Softwood lumber ·

Softwood lumber (pine, fir) is faster growing and thus more sustainable than hardwood. Acetic anhydride
 With the addition of carbon dioxide, methanol is transformed into the reactive acetic anhydride.

Acetylated lumber

Lumber is exposed to acetic anhydride under pressure, which ties up reactive chemicals in the wood. The result is boards which absorb less water and biodegrade slowly.



Composting

Treated lumber will biodegrade significantly slower than normal, which can be helped by chipping to increase surface area. Acetyl groups are naturally occurring in wood, they do not disrupt the environment.

Cellulose Insulation

Cellulose insulation has the lowest environmental footprint of all insulation types. To render the fluffy paper fibres fireproof however, boric acid (borax) and ammonium sulfate are added. Borax is an environmental toxin, which relegates the eminently compostable paper fibres to landfill. Ammonium sulfate, on the other hand, while not renewable is commonly used as fertilizer. Substituting a greater quantity of ammonium sulfate for boric acid will produce cellulose insulation that can be safely composted.

Fireproof cellulose Newspaper -Ammonium sulfate slows Paper fibres harvested from post-consumer the combustion of fluffv Composting sources form the bulk of paper fibres. the insulation. Ammonium sulfate fertilizes the soil where cellulose is spread to decompose. Ammonium sulfate Ammonia This common fertilizer and Ammonia is a common industrial and agricultural fire retardant is synthesized through a reaction nutrient synthesized from between ammonia and nitrogen in the air. sulfuric acid. Sulfuric acid A common industrial reagent synthesized from sulfur and oxygen. **Boric Acid** Boric acid can be mined Legend in nearly pure form in Nevada. It is an insecticide Recyclable material and pesticide. Compostable material Disposed material Figure 3.8 Material flow diagram for cellulose insulation Toxic material

Rockwool Insulation

Rockwool is growing more and more popular for building insulation. Marketing materials often tout its environmental friendliness, however, the rock fibres are held together by a toxic thermo-set phenol formaldehyde adhesive. Post-industrial recycling of small quantities is practised, though there is no widespread collection system for post-consumer rock-wool. By replacing the formaldehyde adhesive with a thermoplastic polymer such as nylon, the materials can be separated at end of life. Nylon can be recovered by solvent dissolution, and cleaned rock fibres can then be remelted into fresh wool.




Figure 3.9 Material flow diagram for rock wool insulation


Wood Adhesive


Recent advances in soy glue promise to remove formaldehyde emissions from composite wood products. However, a deeper dive into the chemistry of soy flour adhesives reveals that the new ingredient is a curing polymer blend called Kymene. This chlorinated hydrocarbon does not emit formaldehyde but will produce the persistent toxins dioxin and furan when burned. Research into soy glue chemistries is ongoing, but there may be no good solution. Any biodegradable glue will fail to be waterproof enough for structural use.

Soybeans are not current- ly sustainably grown, but could be in the future and have many interesting industrial uses.	Soy protein meal After extracting soybean oil, the remaining flour is high in stringy proteins which bond well. Kymene resin Kymene resin Kymene resin stimulates cross linking in soy flour, providing waterproofness. However the chlorine-car- bon bond is carcinogenic.	Soy adhesive The result is a biodegrad- able glue which is suited to industrial production and site work.	Composting Microorganisms can break down soy proteins and the hydrocarbon resin together. When used to glue together compost- able substrates, disassem- bly is not required before composting.
Urea Urea is a common fertil- izer and medicine synthe- sized from the air. Formaldehyde is carnino- genic to humans and toxic the environment, it can be brewed using yeast or syn- thesized from methane.	• Urea Formaldehyde This common thermo- set resin is used as an adhesive and in bulk plastics. Recent efforts in the building industry have been made to eliminate carcinogenic formaldehyde from interior materials.	liagram for wood adhesives	Legend Recyclable material Compostable material Disposed material Toxic material


Polyethylene

The challenge in designing the life cycle of plastic building components is selecting nontoxic chemistries that can be recycled. Polyethylene is the best construction plastic for closed life cycles. It is the world's most common polymer, synthesized from simple hydrocarbon precursors without toxic chlorine bonds. Polyethylene and PET in beverage bottles, are the only two commonly recycled plastics. When several cycles of use have weakened or contaminated polyethylene it can be chemically broken down the original monomers for feedstock recycling.







Design of generic compostable and recyclable pavilions for Expo 2030




Time lapse of Expo site from construction through use and regeneration.





Compostable Pavilion


















Building material flow diagram








Recyclable Pavilion





Building material flow diagram

Scott Proudfoot - Reconstruction Site



What is Biomimicry?


A design discipline that seeks sustainable solutions by emulating nature's time-tested patterns and strategies.

Core Idea: Nature has already solved many of the problems we are grappling with: energy, food production, climate control, non-toxic chemistry, transportation, packaging, and more.

Brings disciplines together who historically don't interact (e.g., biologists, engineers, designers, economists)

"The biomimics are discovering what works in the natural world and more important, what lasts. After 3.8 billion years of research and development, failures are fossils, and what surrounds us is the secret to survival."








Janine Benyus Biomimicry: Innovation Inspired by Nature

Several excellent videos of her talks on TED and YouTube web sites

Arch 126: philosophies of sustainable design

Define the Challenge



https://toolbox.biomimicry.org/methods/define/

Clearly articulate the impact you want your design to have in the world and the criteria and constraints that will determine success.

- State the challenge as a question.
- 2. Make sure you are considering context.
- 3. Take a systems view and look for potential leverage points.


Define the Challenge

Sample design questions

A good design question is neither too broad nor too narrow. Consider these examples.

Too Broad	Just Right	Too Narrow
How might we end hunger?	How might we connect institutional food surpluses to those in need?	How might we design an app to help food pantries get more donations?
Hunger is a huge multifaceted problem and this statement doesn't target a specific area of intervention.	This statement provides enough specificity while remaining open to a variety of possible solutions.	This statement presupposes too many details about the solution (an app) and doesn't leave enough room for innovation.
How can we make cycling safer?	How might we make urban cyclists more visible to drivers at night?	How can we make better lights for cyclists?
What aspects of cycling? This is too broad.	This statement provides enough specificity (urban, night time visibility) while remaining open to a variety of possible solutions.	How do we know lights are the best solution? This statement doesn't leave enough room for creative problem solving.

Biologize Function & Context



https://toolbox.biomimicry.org/methods/biologize/

Analyze the essential functions and context your design solution must address. Reframe them in biological terms, so that you can "ask nature" for advice.

- 1. Ask "How does nature?" questions.
- 2. Think about analogous life functions and contexts in nature.
- 3. Consider multiple possibilities.
- 4. Flip the question.

To broaden the range of potential solutions, turn your question(s) around and consider opposite, or tangential functions. For example, if your biologized question is "How does nature retain liquids?", you could also ask "How does nature repel liquids?"

Biologize Function & Context



Design Question: How might we keep buildings cool in the summer?

Biologized Question:

How does nature regulate temperature in hot climates?



Design Question: How might we reduce stormwater runoff and flooding in cities?

Biologized Question: How does nature manage excess water?




Design Question: How might we reduce the use of toxic substances in paints?

Biologized Question:

How does nature create color?

DISCOVER



Look for natural models (organisms and ecosystems) that need to address the same functions and context as your design solution. Identify the strategies used that support their survival and success. BIOLOGICAL STRATEGIES INSPIRED IDEAS RESOURCES COLLECTIONS



efficient routing



Q

JOIN

☆

SIGN IN


Search powered by 👩 algolia

Life on earth presents elegant solutions to many of the challenges that designers and innovators face every day. Explore AskNature to find biological strategies, inspired ideas, and resources relative to your own innovation challenges, so you can begin to emulate the time-tested forms, processes, and systems that already thrive in balance with Earth's complex systems.




Arch 126: philosophies of sustainable design

https://asknature.org/




Break down (87) Get, store, or distribute resources (412) Maintain community (306) Maintain physical integrity (923) Manage structural forces (232) Chemical wear (2) Compression (55) Bones self-heal: vertebrates Hole structure strengthens bone: horse Lightweighting: Scots pine Fibers keep tall spikes upright: titan arum Leaves given structural support: giant water-lily Nest cells support heavy weights: bees and wasps Structural composition provides strength in changing conditions: plants Rod-like reinforcements provide strength: plants Reinforced fibers provide strength: plants Lignified parenchyma cells provide strength: plants Sclereid cells prevent soft tissue collapse: plants Collenchyma cells provide strength, flexibility: plants Thickness stabilizes tall trees: baobob Fluid protects eggs: birds Intricate silica architecture survives forces: diatoms




Arch 126: philosophies of sustainable design

Biomimicry Taxonomy



Version 4.0 (c) 2008-2010 The Biomimicry Institute



Creative Commons Attribution-Noncommercial 3.0 License. Version 4.0 (c) 2008-2010 The Biomimicry Institute

Biomimicry Taxonomy

1. Find the verb:

Move away from any predetermined ideas of what you want to design, and *think more about what you want your design to do*. Try to pull out single functional words in the form of verbs. The questions you might pose through the Search or Browse options might be:

How would Nature...

Capture rainwater? Store water?

2. Try a different angle.

Some organisms live in areas that don't experience any rain, yet they still get all of the water they need. So other questions to pose might be:

How would Nature...


Capture water? Capture fog? Absorb water? Manage humidity? Move water? 3. Turn the question around.

Instead of asking how Nature stores water, you might think about how Nature protects against excess water or keeps water out:


How would Nature...

Remove water? Stay dry?

Biomimicry Taxonomy



Version 4.0 (c) 2008-2010 The Biomimicry Institute



Creative Commons Attribution-Noncommercial 3.0 License. Version 4.0 (c) 2008-2010 The Biomimicry Institute

Leaves given structural support: giant water-lily



The leaves of the Amazon water lily gain structural support via girder-like support ribs.

Biomimicry Taxonomy

- Maintain physical integrity >
- Manage structural forces >
- Compression

Biomimetic Application Ideas

Light-weight structurally strong panels for buildings or vehicles.

> Visit strategy page


SUMMARY

[Collapse all sections]

"In still or slowly-moving waters there is one easy way to collect [light]: a plant can float its leaves upon the surface. No plant does this on a more spectacular scale or more aggressively than the giant

Arch 126: philosophies of sustainable design

Structural Skeleton



Paxton's Crystal Palace was based on the strength of the Lily Pad and the ability of the veins of the leaf to support the thinner membranes between.





https://www.mnn.com/earth-matters/wilderness-resources/photos/7-amazing-examples-of-biomimicry/burr-velcro

Bugs = Water Collection




https://www.mnn.com/earth-matters/wilderness-resources/photos/7 amazing-examples-of-biomimicry/bug-water-collection

The Stenocara beetle is a master water collector. The small black bug lives in a harsh, dry desert environment and is able to survive thanks to the unique design of its shell. The Stenocara's back is covered in small, smooth bumps that serve as collection points for condensed water or fog. The entire shell is covered in a slick, Teflonlike wax and is channeled so that condensed water from morning fog is funneled into the beetle's mouth. It's brilliant in its simplicity.

Researchers at MIT have been able to build on a concept inspired by the Stenocara's shell and first described by Oxford University's Andrew Parker. They have crafted a material that collects water from the air more efficiently than existing designs. About 22 countries around the world use nets to collect water from the air, so such a boost in efficiency could have a big impact.

Biomimicry in Architecture




Singapore Arts Center

Shading screen over glass roof whose angles are fine tuned to the solar path as inspired by polar bear fur.







Al Bahar Towers in Abu Dhabi, by Aedas – façade opens and closes as timed to the sun.






Al Bahar Towers in Abu Dhabi, by Aedas – façade opens and closes as timed to the sun.

Photovoltaic panels that turn to track the sun, just like sunflowers.





earth-matters/wilderness-resources/photos/7-amazing en-office-b https://www.mnn.com/ examples-of-bi

Termite den = Office building

Termite dens look otherworldly, but they are surprisingly comfortable places to live. While the temperature outside swings wildly throughout the day from lows in the 30s to highs over 100, the inside of a termite den holds steady at a comfortable (to a termite) 87 degrees.

Mick Pearce, architect of Eastgate Centre in Harare, Zimbabwe, studied the cooling chimneys and tunnels of termite dens. He applied those lessons to the 333,000 square-foot Eastgate Centre, which uses 90 percent less energy to heat and cool than traditional buildings. The building has large chimneys that naturally draw in cool air at night to lower the temperature of the floor slabs, just like termite dens. During the day, these slabs retain the coolness, greatly reducing the need for supplemental air conditioning.





THE INNOVATION CONSULTANCY FOR BIO-INSPIRED DESIGN

The Biomimicry Guild is the only innovation company in the world to use a deep knowledge of biological adaptations to help designers, engineers, architects, and business leaders solve design and engineering challenges sustainably.

ENTER THE SITE




LIVING BUILDING CHALLENGESM 3.0


A Visionary Path to a Regenerative Future



SETTING THE IDEAL AS THE INDICATOR OF SUCCESS

THE LIVING BUILDING CHALLENGE IS A PHILOSOPHY, CERTIFICATION AND ADVOCACY TOOL FOR PROJECTS TO MOVE BEYOND MERELY BEING LESS BAD AND TO BECOME TRULY REGENERATIVE.





HOW THE LIVING BUILDING CHALLENGE WORKS



PROVEN PERFORMANCE RATHER THAN ANTICIPATED OUTCOMES

The Living Building Challenge is comprised of seven performance categories, or 'Petals': Place, Water, Energy, Health & Happiness, Materials, Equity and Beauty. Petals are subdivided into a total of twenty Imperatives, each of which focuses on a specific sphere of influence. This compilation of Imperatives can be applied to almost every conceivable building project, of any scale and any location—be it a new building or an existing structure.

THERE ARE TWO RULES TO BECOMING A LIVING BUILDING:

- All Imperatives are mandatory. Many of the Imperatives have temporary exceptions to acknowledge current market limitations. These are listed in the Petal Handbooks, which should be consulted for the most up-to-date rulings.
 Temporary exceptions will be modified or removed as the market changes. With this Standard, the Institute requires advocacy for essential improvements to the building industry.
- Living Building Challenge certification is based on actual, rather than modeled or anticipated, performance. Therefore, projects must be operational for at least twelve consecutive months prior to evaluation for the majority of our Imperative verifications. Some Imperatives can be verified after construction, through a preliminary audit.

The Hawail Preparatory Academy Energy Lab, Kamuela, Hi Living Certification - Living Building Challenge 1.3 Photo: Matthew Miliman Photography / Courtesy: Flansburgh Architects

SUMMARY MATRIX

Imperative omitted from Typology



The 20 Imperatives of the Living Building Challenge: Follow down the column associated with each Typology to see which Imperatives apply.

	LIVING BUILDING CHALLENGE			
	BUILDINGS	RENOVATIONS	LANDSCAPE + INFRASTRUCTURE	
PLACE				01. LIMITS TO GROWTH
	SCALE JUMPING		SCALE JUMPING	02. URBAN AGRICULTURE
			SCALE JUMPING	03. HABITAT EXCHANGE
				04. HUMAN POWERED LIVING
WATER			SCALE JUMPING	05. NET POSITIVE WATER
ENERGY			SCALE JUMPING	06. NET POSITIVE ENERGY
HEALTH & HAPPINESS				07. CIVILIZED ENVIRONMENT
HAPPINESS				08. HEALTHY INTERIOR ENVIRONMENT
				09. BIOPHILIC ENVIRONMENT
MATERIALS				10. RED LIST
			SCALE JUMPING	11. EMBODIED CARBON FOOTPRINT
				12. RESPONSIBLE INDUSTRY
				13. LIVING ECONOMY SOURCING
				14. NET POSITIVE WASTE
EQUITY				15. HUMAN SCALE + HUMANE PLACES
				16. UNIVERSAL ACCESS TO NATURE & PLACE
			SCALE JUMPING	17. EQUITABLE INVESTMENT
				18. JUST ORGANIZATIONS
BEAUTY				19. BEAUTY + SPIRIT
				20. INSPIRATION + EDUCATION

PATHWAYS TO CERTIFICATION



LIVING BUILDING CHALLENGE

LIVING CERTIFICATION

A project achieves Living Certification or Living Building Certification by attaining all Imperatives assigned to its Typology. All twenty Imperatives are required for Buildings, fifteen for Renovations and seventeen for Landscape and Infrastructure projects.

PETAL CERTIFICATION

While achieving Living Certification is the ultimate goal, meeting the Imperatives of multiple Petals is a significant achievement in and of itself. Petal Certification requires the achievement of at least three of the seven Petals, one of which must be either the Water, Energy or Materials Petal.

Imperative 01, Limits to Growth and Imperative 20, Inspiration and Education are required.

NET ZERO ENERGY CERTIFICATION

RGY BUILDING

The marketplace has characterized net zero energy in many different ways. The Institute has a simple definition:

One hundred percent of the building's energy needs on a net annual basis must be supplied by on-site renewable energy. No combustion is allowed.

The Net Zero Energy Building Certification program uses the structure of the Living Building Challenge 3.0 to document compliance, it requires four of the Imperatives to be achieved: 01, Limits to Growth, 06, Net Positive Energy (reduced to one hundred percent), 19, Beauty + Spirit, and 20, Inspiration + Education.

The requirement for Imperative 06, Net Positive Energy is reduced to one hundred percent, one hundred and five percent is required for Petal and Living Building Certification only.

As with Living Building and Petal Certification, NZEB certification is based on actual performance rather than modeled outcomes.

David and Lucile Packard Foundation, Los Altos, CA Net Zero Energy Building Certification Photo: Terry Lorrant



Building Challenge^s 3.0

Livir

LIVING CERTIFICATION

A project achieves Living Certification or Living Building Certification by attaining all Imperatives assigned to its Typology.


All twenty (20) Imperatives are required for Buildings, fifteen (15) for Renovations and Seventeen (17) for Landscape and Infrastructure projects.

PETAL CERTIFICATION

While achieving Living Certification is the ultimate goal, meeting the Imperatives of multiple Petals is a significant achievement in and of itself.

Petal Certification requires the achievement of at least three of the seven Petals, one of which must be either the Water, Energy or Materials Petal.

Imperative 01, Limits to Growth and Imperative 20, Inspiration and Education are required.





PLACE

RESTORING A HEALTHY INTERRELATIONSHIP WITH NATURE



PETAL INTENT

The intent of the Place Petal is to realign how people understand and relate to the natural environment that sustains us. The human built environment must reconnect with the deep story of place and the unique characteristics found in every community so that story can be honored, protected and enhanced. The Place Petal clearly articulates where it is acceptable for people to build, how to protect and restore a place once it has been developed, and how to encourage the creation of communities that are once again based on the pedestrian rather than the automobile. In turn, these communities need to be supported by a web of local and regional agriculture, since no truly sustainable community can rely on globally sourced food production.

The continued spread of sprawl development and the vastly increasing number of global megapolises threatens the few wild places that remain. The decentralized nature of our communities impedes our capacity to feed ourselves in a sustainable way and also increases transportation impacts and pollution. The overly dense urban centers in turn crowd out healthy natural systems, isolating culture from a sense of place. As prime land for construction diminishes, more development tends to occur in sensitive areas that are easily harmed or destroyed. Invasive species threaten ecosystems, which are already weakened by the constant pressure of existing human developments. Automobiles, often used as single occupancy vehicles, have become integral to our communities when we should depend on "people power" – walking and bicycling—as the primary mode of travel, and supplement it with shared transit.

IDEAL CONDITIONS + CURRENT LIMITATIONS

The Living Building Challenge envisions a moratorium on the seemingly never-ending growth outward, and a focus instead on compact, connected communities with healthy rather than inhumane levels of density—inherently conserving the natural resources that support human health and the farmlands that feed us, while also inviting natural systems back into the daily fabric of our lives. As previously disturbed areas are restored, the trend is reversed and nature's functions are invited back into a healthy interface with the built environment.


Human behavior and attitudes are the most significant barriers to transforming our surroundings. There is a frontier mentality that seems to encourage people to keep pursuing the next open territory and to value the untouched site more than the secondhand site. Humanity is territorial by nature, and we tend to view our impacts through a narrow lens. It is not unusual for us to encourage unhealthy solutions, so long as they are "not in my backyard" and allow us the social stature to "keep up with the Joneses." We must erase the taboo associated with certain forms of transit and abandoned industrial and commercial facilities, and we must once again give our regard to the many others that cohabit the earth with us.



SCALE JUMPING PERMITTED FOR URBAN AGRICULTURE (IMPERATIVE 02) AND HABITAT EXCHANGE (IMPERATIVE 03)

LIMITS TO GROWTH





Projects may only be built on greyfields or brownfields: previously developed⁶ sites that are not classified as on or adjacent to any of the following sensitive ecological habitats⁷:

- Wetlands: maintain at least 15 meters, and up to 70 meters of separation
- Primary dunes: maintain at least 40 meters of separation
- Old-growth forest: maintain at least 60 meters of separation
- Virgin prairie: maintain at least 30 meters of separation
- Prime farmland
- Within the 100-year flood plain

Project teams must document site conditions prior to the start of work. On-site landscape must be designed so that as it matures and evolves it increasingly emulates the functionality of indigenous ecosystems with regard to density, biodiversity, plant succession, water use, and nutrient needs. It shall also provide wildlife and avian habitat appropriate to the project's transect through the use of native and naturalized plants and topsoil. No petrochemical fertilizers or pesticides can be used for the operation and maintenance of the on-site landscape.

 6 Sites that qualify must have been altered from a greenfield prior to December 31, 2007.
 7 Refer to the Place Petal Handbook for clarifications and exceptions. There are cases when building on a greenfield or a sensitive ecological habitat is allowed based on project type, Transect or other conditions.

URBAN AGRICULTURE

The project must integrate opportunities for agriculture appropriate to its scale and density using the Floor Area Ratio (FAR) as a basis for calculation. The table below outlines the mandatory agricultural requirements for all projects. Single-family homes must also demonstrate the capacity to store at least a two-week supply of food.⁸

PERCENT OF PROJECT AREA FOR FOOD PRODUCTION

Proje	ect	F.A.R.	Minimum Percent Required
< 0.0	5		80%
0.05		0.09	50%
0.10		0.24	35%
0.25		0.49	30%
0.5		0.74	25%
0.75		0.99	20%
1.0		1.49	15%
1.5		1.99	10%
2.0		2.99	5%
> 3.0			1%

8 Refer to the Place Petal Handbook for clarifications such as acceptable urban agriculture practices, area calculation information as well as exceptions by Transect.

PLACE HABITAT EXCHANGE





For each hectare of development, an equal amount of land away from the project site must be set aside in perpetuity through the Institute's Living Future Habitat Exchange Program⁹ or an approved Land Trust organization.¹⁰ The minimum offset amount is 0.4 hectare.



- 9 ILFI now operates a Habitat Exchange Program in cooperation with conservation organizations. For more information visit www.living-future.org/exchange.
- 10 Refer to the Place Petal Handbook for clarifications such as information about Land Trusts as well as exceptions.



PLACE HUMAN POWERED LIVING



Each new project should contribute toward the creation of walkable, pedestrianoriented communities and must not lower the density of the existing site. Teams must evaluate the potential for a project to enhance the ability of a community to support a human powered lifestyle, and provide a mobility plan that addresses the interior and exterior of the project and demonstrates at a minimum the following:

ALL PROJECTS (EXCEPT SINGLE FAMILY HOMES):

- Secure, weather protected storage for human powered vehicles that provide facilities to encourage biking.¹¹
- Consideration and enhancement of pedestrian routes, including weather protection on street frontages.
- Promotion of the use of stairs over elevators through interior layout and quality of stairways.
- Advocacy in the community to facilitate the uptake of human powered transportation.

PROJECTS IN TRANSECTS L4-L6 MUST ALSO PROVIDE:

- A transit subsidy for all occupants of the building (if owner occupied) or a requirement for tenant employers to provide such a subsidy.
- Showers and changing facilities that can be accessed by all occupants of the building.
- At least one electric vehicle charging station.

SINGLE FAMILY HOMES (ALL TRANSECTS):

An assessment of how the residents can reduce their transportation impact through car sharing, use of public transportation, alternative fueled vehicles, or bicycles is required.

11 Bike storage is recommended for 15% of occupants; teams should consider the occupancy type and location of the project.

27



WATER

CREATING DEVELOPMENTS THAT OPERATE WITHIN THE WATER BALANCE OF A GIVEN PLACE AND CLIMATE





PETAL INTENT

The intent of the Water Petal is to realign how people use water and to redefine 'waste' in the built environment, so that water is respected as a precious resource.

Scarcity of potable water is quickly becoming a serious issue as many countries around the world face severe shortages and compromised water quality. Even regions that have avoided the majority of these problems to date due to a historical presence of abundant fresh water are at risk: the impacts of climate change, highly unsustainable water use patterns, and the continued drawdown of major aquifers portend significant problems ahead.

IDEAL CONDITIONS AND CURRENT LIMITATIONS

The Living Building Challenge envisions a future whereby all developments are configured based on the carrying capacity of the site: harvesting sufficient water to meet the needs of a given population while respecting the natural hydrology of the land, the water needs of the ecosystem the site inhabits, and those of its neighbors. Indeed, water can be used and purified and then used again—and the cycle repeats.

Currently, such practices are often illegal due to health, land use and building code regulations (or because of the undemocratic ownership of water rights) that arose precisely because people were not properly safeguarding the quality of their water. Therefore, reaching the ideal for water use means challenging outdated attitudes and technology with decentralized site- or district-level solutions that are appropriately scaled, elegant and efficient.



SCALE JUMPING PERMITTED FOR NET POSITIVE WATER (IMPERATIVE 05)

WATER

NET POSITIVE WATER

05

Project water use and release must work in harmony with the natural water flows of the site and its surroundings. One hundred percent of the project's water needs must be supplied by captured precipitation or other natural closed loop water systems,¹² and/or by re-cycling used project water, and must be purified as needed without the use of chemicals.

All stormwater and water discharge, including grey and black water, must be treated onsite and managed either through re-use, a closed loop system, or infiltration. Excess stormwater can be released onto adjacent sites under certain conditions.

12 Refer to the Water Petal Handbook for clarifications and exceptions, such as allowances for a municipal potable water use connection if required by local heath regulations.



Rooftop Solar Array at The Builitt Center Seattle, WA Photo: Benjamin Benschneider

ENERGY

RELYING ONLY ON CURRENT SOLAR INCOME





PETAL INTENT

The intent of the Energy Petal is to signal a new age of design, wherein the built environment relies solely on renewable forms of energy and operates year round in a safe, pollution-free manner. In addition, it aims to prioritize reductions and optimization before technological solutions are applied to eliminate wasteful spending—of energy, resources, and dollars. The majority of energy generated today is from highly polluting and often politically destabilizing sources including coal, gas, oil and nuclear power. Large-scale hydro, while inherently cleaner, results in widespread damage to ecosystems. Burning wood, trash or pellets releases particulates and carbon dioxide (CO₂) into the atmosphere and often strains local supplies of sustainably harvested biomass while robbing the soil of much-needed nutrient recycling. The effects of these energy sources on regional and planetary health are becoming increasingly evident through climate change, the most worrisome major global trend attributed to human activity.

IDEAL CONDITIONS AND CURRENT LIMITATIONS

The Living Building Challenge envisions a safe, reliable and decentralized power grid, powered entirely by renewable energy, supplied to incredibly efficient buildings and infrastructure without the negative externalities associated with combustion or fission.

Although there has been considerable progress made to advance renewable energy technologies, there is still a need for a greater efficiency from these systems and for new, cleaner ways to store the energy they generate. These, together with the current cost of the systems available, are the major limitations to reaching our goals.



ving Building

SCALE JUMPING PERMITTED FOR NET POSITIVE ENERGY (IMPERATIVE 06)

ENERG'

NET POSITIVE ENERGY





One hundred and five percent of the project's energy needs must be supplied by on-site renewable energy on a net annual basis, without the use of on-site combustion.¹³ Projects must provide on-site energy storage for resiliency.¹⁴

- 13 Refer to the Energy Petal Handbook for a list of renewable energy systems, clarifications and exceptions.
- 14 Projects must demonstrate that sufficient backup battery power be installed for emergency lighting (at least 10 percent of lighting load) and refrigeration use for up to one week for greater resiliency.

Solar array at The Hawali Preparatory Academy Energy Lab, Kamuela, Hi Living Certification - Living Building Challenge 1.3 Photo: Matthew Miliman Photography / Courtesy: Flansburgh Architects



CREATING ENVIRONMENTS THAT OPTIMIZE PHYSICAL AND PSYCHOLOGICAL HEALTH AND WELL BEING



PETAL INTENT

The intent of the Health and Happiness Petal is to focus on the most important environmental conditions that must be present to create robust, healthy spaces, rather than to address all of the potential ways that an interior environment could be compromised.

Many developments provide substandard conditions for health and productivity and human potential is greatly diminished in these places. By focusing attention on the major pathways of health we create environments designed to optimize our well-being.

IDEAL CONDITIONS AND CURRENT LIMITATIONS

The Living Building Challenge envisions a nourishing, highly productive and healthy built environment. However, even best available solutions require acceptance and engagement by the project occupants and project owner. It is difficult to ensure that developments will remain healthy over time, since environmental conditions such as air quality, thermal control, and visual comfort can easily be compromised in numerous ways. It can also be complicated to ensure optimal conditions due to the unpredictable nature of how people operate and maintain their indoor spaces.

CIVILIZED ENVIRONMENT





Every regularly occupied space must have operable windows that provide access to fresh air and daylight.15





HEALTHY INTERIOR ENVIRONMENT





To promote good indoor air quality, a project must create a Healthy Interior Environment Plan that explains how the project will achieve an exemplary indoor environment including the following:

- Compliance with the current version of ASHRAE 62, or international equivalent
- Smoking must be prohibited within the project boundary
- Results from an Indoor Air Quality test before and nine months after occupancy¹⁶
- Compliance with the CDPH Standard Method v1.1-2010 (or international equivalent) for all interior building products that have the potential to emit Volatile Organic Compounds¹⁷
- Dedicated exhaust systems for kitchens, bathrooms, and janitorial areas
- An entry approach that reduces particulates tracked in through shoes¹⁸
- An outline of a cleaning protocol that uses cleaning products that comply with the EPA Design for the Environment label (or international equivalent¹⁹)



17 California Department of Public Health. Products not regulated by CDHP do not need to comply.

and a low a

- 18 Refer to the Health Petal Handbook for the specifics of approved entry strategies.
- 19 www.epa.gov/dfe

NRDC Midwest Office, Chicago, IL Petal Certification Courtesy: Studio Gang Architects

BIOPHILIC ENVIRONMENT



The project must be designed to include elements that nurture the innate human/ nature connection. Each project team must engage in a minimum of one all-day exploration of the biophilic design potential for the project. The exploration must result in a biophilic framework and plan for the project that outlines the following:²⁰

- How the project will be transformed by deliberately incorporating nature through Environmental Features, Light and Space, and Natural Shapes and Forms
- How the project will be transformed by deliberately incorporating nature's patterns through Natural Patterns and Processes and Evolved Human-Nature Relationships
- How the project will be uniquely connected to the place, climate and culture through Place-based Relationships
- The provision of sufficient and frequent human-nature interactions in both the interior and exterior of the project to connect the majority of occupants with nature directly

The plan must contain methods for tracking biophilia at each design phase. The plan should include historical, cultural, ecological, and climatic studies that thoroughly examine the site and context for the project.

20 Each of the Biophilic Design Elements outlined on Table 1-1, Page 15 of Biophilic Design: The Theory, Science, and Practice of Bringing Buildings to Life by Stephen R. Kellert, Judith H. Heerwagen, and Martin L. Mador should be used as a reference.

> Omega Institute, Rhinebeck, NY Living Certification - Living Building Challenge 1.3 Photo: Farshid Assassi / Courtesy: BNIM Architects



MATERIALS



UniverCity Childcare Centre Burnaby, BC

MATERIALS

ENDORSING PRODUCTS THAT ARE SAFE FOR ALL SPECIES THROUGH TIME





PETAL INTENT

The intent of the Materials Petal is to help create a materials economy that is non-toxic, ecologically regenerative, transparent and socially equitable. Throughout their life cycle, building materials are responsible for many adverse environmental issues, including personal illness, habitat and species loss, pollution, and resource depletion. The Imperatives in this section aim to remove the worst known offending materials and practices and drive business towards a truly responsible materials economy. When impacts can be reduced but not eliminated, there is an obligation not only to offset the damaging consequences associated with the construction process, but also to strive for corrections in the industry itself. At the present time it is impossible to gauge the true environmental impact and toxicity of the built environment due to a lack of product-level information, although the Living Building Challenge continues to shine a light on the need for transformative industrial practices.

IDEAL CONDITIONS + CURRENT LIMITATIONS

The Living Building Challenge envisions a future where all materials in the built environment are regenerative and have no negative impact on human and ecosystem health. The precautionary principle guides all materials decisions when impacts are unclear.

There are significant limitations to achieving the ideal for the materials realm. Product specification and purchase has far-reaching impacts, and although consumers are starting to weigh these in parallel with other more conventional attributes, such as aesthetics, function and cost, the biggest shortcoming is due to the market itself. While there are a huge number of "green" products for sale, there is also a shortage of good, publicly available data that backs up manufacturer claims and provides consumers with the ability to make conscious, informed choices. Transparency is vital; as a global community, the only way we can transform into a truly sustainable society is through open communication and honest information sharing, yet many manufacturers are wary of sharing trade secrets that afford them a competitive advantage, and make proprietary claims about specific product contents.

Declare, the Institute's ingredients label for building products, is a publicly accessible label and online database with an official connection to the Materials Petal. Not only does Declare contribute to the overt methodology for removing a temporary exception, it also provides a forum for sharing the information compiled by a project team as part of their documentation requirements for certification.

declareproducts.com

The Hawall Preparatory Academy Energy Lab, Kamuela, Hi Living Certification - Living Building Challenge 1.3 Photo: Matthew Millman Photography / Courtesy: Flansburgh Architects

SCALE JUMPING PERMITTED FOR EMBODIED CARBON

FOOTPRINT (IMPERATIVE 11)

RED LIST

There are temporary exceptions for numerous Red List items due to current limitations in the materials economy. Refer to the Materials Petal Handbook for complete and up-to-date listings.

The project cannot contain any of the following Red List materials or chemicals:²¹

- Alkylphenols
- Asbestos
- Bisphenol A (BPA)
- Cadmium
- Chlorinated Polyethylene and Chlorosulfonated Polyethlene
- Chlorobenzenes
- Chlorofluorocarbons (CFCs) and Hydrochlorofluorocarbons (HCFCs)
- Chloroprene (Neoprene)
- Chromium VI
- Chlorinated Polyvinyl Chloride (CPVC)
- Formaldehyde (added)
- Halogenated Flame Retardants (HFRs)

- · Lead (added)
- Mercury
- Polychlorinated Biphenyls (PCBs)
- Perfluorinated Compounds (PFCs)
- Phthalates
- Polyvinyl Chloride (PVC)
- Polyvinylidene Chloride (PVDC)
- Short Chain Chlorinated Paraffins
- Wood treatments containing Creosote, Arsenic or Pentachlorophenol
- Volatile Organic Compounds (VOCs) in wet applied products²³

- 21 A link to the list of CAS Registry Numbers that correspond with each Red List item is available in the Materials Petal Handbook.
- 22 Wet applied products (coatings, adhesives and sealants) must have VOC levels below the South Coast Air Quality Management District (SCAQMD) Rule 1168 for Adhesives and Sealants or the CARB 2007 Suggested Control Measure (SCM) for Architectural Coatings as applicable. Containers of sealants and adhesives with capacity of 16 ounces or less must comply with applicable category limits in the California Air Resources Board (CARB) Regulation for Reducing Emissions from Consumer Products.





MATERIAL

EMBODIED CARBON FOOTPRINT





The project must account for the total embodied carbon (tCO_2e) impact from its construction through a one-time carbon offset in the Institute's new Living Future Carbon Exchange or an approved carbon offset provider.²³



23 Refer to the Materials Petal Handbook for approved carbon offset programs, clarifications and exceptions.

Omega Institute, Rhinebeck, NY Living Certification - Living Building Challenge 1.3 Photo: Farshid Assassi / Courtesy: BNIM Architects



RESPONSIBLE

For timber, all wood must be certified to Forest Stewardship Council (FSC)²⁴ 100% labeling standards, from salvaged sources, or from the intentional harvest of timber onsite for the purpose of clearing the area for construction or restoring/maintaining the continued ecological function of the onsite bionetwork.

All projects must use, at a minimum, one Declare product for every 500 square meters of gross building area and must send Declare program information²⁵ to at least 10 manufacturers not currently using Declare.




The project must advocate for the creation and adoption of third-party certified standards for sustainable resource extraction and fair labor practices. Applicable raw materials include stone and rock, metal, minerals, and timber.

Declare

Product Name Manufacturer Name City, State/Province, Country Life Expectancy: 000 YEARS End of Life Options: Recyclable (42%), Landfill

Ingredients:

Ingredient One (Location, ST), The Second Item (Location, ST), NextIngredient (Location, ST), Living Building Challenge Red List*, Different Part of the Product, Another Component, More sturf, US EPA Chemical of Concern, Yet Another Item, Non-toxic Element, Pieceofthewhole, Component of Concoction, ThirdFromTheEnd, ECHA REACH Substance of Very High Concern, Last Ingredient.





Intentionally simple in scope. By focusing on product ingredients, we hope to level the playing field and create a platform for constructive conversations about the human health and ecological impacts of the decisions we make.

Options: Take back program; Salvageable or reusable in its entirety; Recyclable (%); Landfill; Hazardous waste (%).

All intentionally added ingredients are color coded to communicate potential hazards: Living Building Challenge Red List Other Chemicals of Concern Not referenced as a hazardous chemical

Temporary Red List chemical exceptions applied for specific product types.

Declare identifier for company + product Valid for 12 months, starting with the date of issue

Verification that a product complies with the Living Building Challenge Red List.

24 Refer to the Materials Petal Handbook for a full list of exceptions such as an exception for wood in existing buildings undergoing renovation.

25 www.declareproducts.com

MATERIALS

LIVING ECONOMY SOURCING



The project must incorporate place-based solutions and contribute to the expansion of a regional economy rooted in sustainable practices, products and services.

Manufacturer location for materials and services must adhere to the following restrictions:

- 20% or more of materials construction budget²⁶ must come from within 500 km of construction site.
- An additional 30% of materials construction budget must come from within 1000 km of the construction site or closer.
- An additional 25% of materials construction budget must come from within 5000 km of the construction site.
- 25% of materials may be sourced from any location.
- Consultants must come from within 2500 km of the project location.²⁷

- 26 Materials construction budget is defined as all material costs and excludes labor, soft costs and land. Declare products and salvaged materials may be counted at twice their value. Certain natural building materials may include labor cost in their calculation. Refer to the Materials Petal Handbook for more information.
- 27 There is a temporary exception for specialty consultants and subcontractors, who may travel up to 5,000 km. Refer to the Materials Petal Handbook for additional exceptions.

Painters Hall Courtesy: Pringle Creek Community

MATERIALS NET POSITIVE WASTE







The project team must strive to reduce or eliminate the production of waste during design, construction, operation, and end of life in order to conserve natural resources and to find ways to integrate waste back into either an industrial loop or natural nutrient loop.²⁰

All Projects must feature at least one salvaged material per 500 square meters of gross building area or be an adaptive reuse of an existing structure.

The project team must create a Material Conservation Management Plan that explains how the project optimizes materials in each of the following phases:

- Design Phase, including the consideration of appropriate durability in product specification
- · Construction Phase, including product optimization and collection of wasted materials
- Operation Phase, including a collection plan for consumables and durables
- · End of Life Phase, including a plan for adaptable reuse and deconstruction

During construction, the project team must divert wasted material to the following levels:

MATERIAL	MINIMUM DIVERTED/WEIGHT		
Metal	99%		
Paper & Cardboard	99%		
Soil & Biomass	100%		
Rigid foam, Carpet & Insulation	95%		
All others - combined weighted average ²⁹	90%		

For all project types, there must be dedicated infrastructure for the collection of recyclables and compostable food scraps.

A project that is located on a site with existing infrastructure must complete a pre-building audit that inventories available materials and assemblies for reuse or donation.

28 Refer to the Materials Petal Handbook for calculation details, clarifications and exceptions.
 29 Hazardous materials in demolition waste, such as lead-based paint, asbestos, and polychlorinated biphenyls (PCBs), are exempt from percentage calculations.



SUPPORTING A JUST, EQUITABLE WORLD

SCALE JUMPING PERMITTED

PETAL INTENT

The intent of the Equity Petal is to transform developments to foster a true, inclusive sense of community that is just and equitable regardless of an individual's background, age, class, race, gender or sexual orientation. A society that embraces all sectors of humanity and allows the dignity of equal access and fair treatment is a civilization in the best position to make decisions that protect and restore the natural environment that sustains all of us.

There is a disturbing trend toward privatizing infrastructure and creating polarized attitudes of 'us' vs. 'them'—allowing only those of a certain economic or cultural background to participate fully in community life. Although opposite on the spectrum, enclaves for the wealthy are only one step removed from the racial and ethnic ghettos that continue to plague our neighborhoods. A subset of this trend is the notion that individuals can own access to nature itself, by privatizing admittance to waterways, beaches and other wilderness areas, cutting off most people from the few pristine environmental places that remain. Only by realizing that we are indeed all in this together can the greatest environmental and social problems be addressed.

We need to aggressively challenge the notion that property ownership somehow implies that we can do whatever we like, even externalize the negative environmental impacts of our actions onto others.

For example, consider these situations: when a polluting factory is placed next to a residential community, the environmental burdens of its operation are placed on the individuals who live in those houses. The factory is diminishing its neighbors' rights to clean air, water and soil. When a building towers over another structure, its shadow diminishes that structure's ability to generate clean and renewable energy, thereby impeding the rights to energy independence. We all deserve access to sunlight and clean air, water and soil.

We need to prioritize the concept of "citizen" above that of "consumer." Equity implies the creation of communities that provide universal access to people with disabilities, and allow people who can't afford expensive forms of transportation to fully participate in the major elements of society. Indeed, most projects in the built environment greatly outlive the original owner or developer—society inherits

continued >>

Living Building Challenge[™] 3.0

SUPPORTING A JUST, EQUITABLE WORLD





the legacies of bad decisions and good decisions alike. Since the act of building is a considerable environmental impact shared by all, there is an inherent responsibility to ensure that any project provides some public good and does not degrade quality of life. Finally, it is essential that we recognize the business practices and welfare of the people that we support as we design and build our developments.

JUST, the Institute's ingredients label for social justice, is a publicly accessible label and online database with an official connection to the Equity Petal. JUST provides a powerful forum for helping project teams support organizations that share the values of a responsible equitable living future.

justorganizations.org

IDEAL CONDITIONS + CURRENT LIMITATIONS

The Living Building Challenge envisions communities that allow equitable access and treatment to all people regardless of physical abilities, age, or socioeconomic status.

Current limitations to reaching this ideal stem from ingrained cultural attitudes about the rights associated with private ownership and the varying rights of people.

It is necessary to change zoning standards in order to protect the rights of individuals who are 'downstream' of water, air and noise pollution, and who are adversely impacted due to lack of sunlight or exposure to toxins. Past attempts by zoning standards to protect people from particularly egregious pollutants resulted in sterile, single-use areas. A healthy, diverse community is one that encourages multiple functions, and is organized in a way that protects the health of people and the environment.



SCALE JUMPING PERMITTED

HUMAN SCALE AND HUMANE PLACES



The project must be designed to create human-scaled rather than automobilescaled places so that the experience brings out the best in humanity and promotes culture and interaction. In context of the character of each Transect, there are specific maximum (and sometimes minimum) requirements for paved areas, street and block design, building scale and signage that contribute to livable places.

The project must follow the following design guidelines:

_							
TRA	NSECT	L1	L2	L3	L4	L5	L6
Surface Cover	Maximum dimension of surface parking lot before a separation is required on all four sides e.g., building, wall, or 3 m wide (minimum) planted median or bioswale	20 m x 30 m					
	Total area of surface parking lot allowed. All other parking requirements must be handled in structured or underground parking.	20%	20%	20%	15%	5%	0%
TRANSECT		L1	L2	L3	L4	L5	L6
	Maximum street width, measured either shoulder-to-shoulder or curb-to-curb	5 m		7.5 m	10 m	15 m	22.5 m
Streets + Intersections Only applicable if adding new streets	Maximum street width before driving lanes must be separated by a pedestrian strip and planting median. Additional lanes may be included on the other side of median to a maximum of 22.5 m total width of driving area	N appli	ot cable	15 m			
	Maximum street width before tree plantings and sidewalks are required on both sides	of	pment this is not	7.5 m			
	Minimum overall width of sidewalks and planted median	perm	itted	1/3 street width			
	Maximum distance between trees in furnishing zone and planted median	Hab	atural bitat erve	9 m			
	Maximum distance between circulation routes Access way must be 3 m wide minimum to qualify	Agric	tural ultural ne	45	m	60 m	
	Maximum street block size			60 m x 120 m		120 m x 120 m	
TRA	NSECT	L1	L2	L3	L4	L5	L6
Signage	Number of free-standing signs per development	1					
	Maximum dimensions of free-standing sign(s)	2 m x	2.5 m	2.5 m x 3 m		3.5 m x 6 m	
N	Maximum elevation of sign's bottom edge above ground	2 m	3 m	6 m	9 m	12 m	12 m
TRANSECT		L1	L2	L3	L4	L5	L6
	Maximum single family residence size	N/A	N/A 425 m²				
Proportion	Maximum distance between façade openings	N/A	/A 30 m				
	Maximum footprint for any building with a single use, single owner or single tenant. Acceptable to provide additional floor area for tenant on upper/lower floor(s)	3750 m ² excludes floor area of atriums, courtyards and daylight shafts					
Human Scale	Provision of places for people to gather and connect internally and/or with the neighborhood.	1 1 One every 1000 m² (10,760sf)					
	Provision of elements along the project edge which support the human scale of the larger neighborhood, such as seat walls, art, displays, or pocket parks. Single Family residences are excluded	1	1 1 One every 4000 m ² (43,000sf)				m²

UniverCity Childcare Centre, Burnaby, BC Photo: Martín Tessier

UNIVERSAL ACCESS TO NATURE & PLACE



All primary transportation, roads and non-building infrastructure that are considered externally focused must be equally accessible³⁰ to all members of the public regardless of background, age and socioeconomic class—including the homeless—with reasonable steps taken to ensure that all people can benefit from the project's creation.

For any project (except single family residential) located in Transect L3-L6, the public realm must be provided for and enhanced through design measures and features such as street furniture, public art, gardens and benches that are accessible to all members of society.

Access for those with physical disabilities must be safeguarded through designs meeting the Americans with Disabilities Act (ADA) and Architectural Barriers Act (ABA) Accessibility Guidelines.³¹

continued >>

- 30 Refer to the Equity Petal Handbook for a complete list of applicable infrastructure and exceptions that address issues of safety.
- 31 Refer to the Equity Petal Handbook for specific exceptions, such as those for private residences and historic structures. Complete ADA and ABA Accessibility Guidelines are available online: www.access-board.gov/adaag/about

clence Education at Phipps Conservatory and Botanical Gardens, Pittsburgh, PA Net Zero Energy Building Certification Photo: Cory Doman

EQUITY UNIVERSAL ACCESS TO NATURE & PLACE



The project may not block access to, nor diminish the quality of, fresh air, sunlight and natural waterways for any member of society or adjacent developments. The project must also appropriately address any noise audible to the public.

- Fresh AIr: The project must protect adjacent property from any noxious emissions that would compromise its ability to use natural ventilation. All operational emissions must be free of Red List items, persistent bioaccumulative toxicants, and known or suspect carcinogenic, mutagenic and reprotoxic chemicals.
- Sunlight: The project may not block sunlight to adjacent building façades and rooftops above a maximum height allotted for the Transect.³²

The project may not shade the roof of a development with which it shares a party wall, unless the adjoining development was built to a lesser density than acceptable for the Transect.³³

- Natural Waterways: The project may not restrict access³⁴ to the edge of any natural waterway, except where such access can be proven to be a hazard to public safety or would severely compromise the function of the development.³⁵ No project may assume ownership of water contained in these bodies or compromise the quality or quantity that flows downstream. If the project's boundary is more than sixty meters long parallel to the edge of the waterway, it must incorporate and maintain an access path to the waterway from the most convenient public right-of-way.³⁶
- 32 Detailed exceptions relating to transects are in the Equity Petal Handbook
- 33 This corresponds to a neighboring building that is at least two stories in L2-L3; four stories in L4; eight stories in L5; and sixteen stories in L6.
- 34 Public access throughway must allow approach to waterway from land for pedestrians and bicyclists, and from the water via boat. No infrastructure to support any water-based transport is required.
- 35 For example, a working dock or marina might need to restrict shoreline access for safety reasons. A private residence may not.
- 36 The easement containing the pathway must be at least three meters wide and allow entry to both pedestrians and bicyclists.

EQUITABLE INVESTMENT





For every dollar of total project cost,³⁷ the development must set aside and donate half a cent or more to a charity³⁸ of its choosing or contribute to ILFI's Equitable Offset Program, which directly funds renewable infrastructure for charitable enterprises.^{39/40}



- 37 Project cost includes land, soft costs, hard costs and FFE.
- 38 The Charity must be located in the country of the project and be a registered charity or 501 c 3.
- 39 Projects may choose to split the offset as desired between multiple charities or ILFI's offset program.
- 40 Public agencies and charitable organizations are exempt from this requirement.

Global Change Institute at University of Queensland, Brisbane, Australia Courtesy: HASSELL

JUST ORGANIZATIONS


The project must help create a more JUST, equitable society through the transparent disclosure of the business practices of the major organizations involved. At least one of the following project team members must have a JUST Label for their organization:

· Architect of Record

Landscape Architect of Record

Interior Architect of Record

- MEP Engineer of Record
- Owner/Developer
- Structural Engineer of Record
- Project teams are also required to send JUST program information⁴¹ to at least ten project consultants, sub-consultants or product suppliers as part of ongoing advocacy.



The Bullitt Center, Seattle, WA



BEAUTY

CELEBRATING DESIGN THAT UPLIFTS THE HUMAN SPIRIT



PETAL INTENT

The intent of the Beauty Petal is to recognize the need for beauty as a precursor to caring enough to preserve, conserve and serve the greater good. As a society, we are often surrounded by ugly and inhumane physical environments. If we do not care for our homes, streets, offices and neighborhoods, then why should we extend care outward to our farms, forests and fields? When we accept billboards, parking lots, freeways and strip malls as being aesthetically acceptable, in the same breath we accept clear-cuts, factory farms and strip mines.

IDEAL CONDITIONS AND CURRENT LIMITATIONS

The Living Building Challenge envisions designs that elevate our spirits and inspire us to be better than we currently are. Mandating beauty is, by definition, an impossible task. And yet, the level of discussion and, ultimately, the results are elevated through attempting difficult but critical tasks. In this Petal, the Imperatives are based on genuine efforts, thoughtfully applied. We do not begin to assume we can judge beauty and project our own aesthetic values on others. But we do want to understand people's objectives and know that an effort was made to enrich people's lives with each square meter of construction, on each project. This intentionality of good design and graceful execution must carry forth into a program for educating the public about the environmental qualities of their Living Building Challenge project.

There are no current limitations to this Petal other than our imaginations and what we as a society choose to value.

Green Roof at Phipps Conservatory and Botanical Gardens, Pittsburgh, PA Net Zero Energy Building Certification Photo: Paul G. Wiegman

BEAUTY & SPIRIT





The project must contain design features intended solely for human delight and the celebration of culture, spirit and place appropriate to its function and meaningfully integrate public art.

> Omega Institute, Rhinebeck, NY Living Certification - Living Building Challenge 1.3 Photo: Farshid Assassi / Courtesy: BNIM Architects

0 | Living Building Challenge™ 3.0-

INSPIRATION & EDUCATION




Educational materials about the operation and performance of the project must be provided to the public to share successful solutions and to motivate others to make change.

Projects must provide:42

- An annual open day for the public.
- An educational web site that shares information about the design, construction, and operation of the project.
- A simple brochure describing the design and environmental features of the project, as well as ways for occupants to optimize project function.
- A copy of the Operations and Maintenance Manual.
- Interpretive signage that teaches visitors and occupants about the project.
- A Living Building Case Study to be posted on the Institute website.

42 Refer to the Beauty and Inspiration Petal Handbook for additional information.

Living wall at Bertschi School, Seattle, WA Living Certification - Living Building Challenge 2.0 Photo: Benjamin Benschneider






A SUCCE A COMMUNIC


http://www.bullittcenter.org/2015/04/01/bullittcenter-earns-living-building-certification/

Bullitt Center

2013 Seattle, Washington The Miller Hull Partnership








NUMBER OF HOURS AT 5-DEGREE TEMPERATURE RANGES (full year: 6AM-6PM)



AVERAGE PRECIPITATION (rainwater collection)



es E OF COMPORTABLE

COMFORT




LIGHT & AIR

ENVELOPE

OPERABLE WINDOWS FOR VENTILATION & COOLING
 TRIPLE-GLAZED HIGH PERFORMANCE WINDOWS
 OPERABLE BLINDS MINIMIZE HEAT AND GLARE

COOLING

O CEILING FANS FOR THERMAL COMFORT




West facade with exterior motorized shades on upper stories. Ground floor is shaded by the trees in the park






DAYLIGHT TYPICAL FLOOR 75% DAYLIT

LIGHT & AIR






WATER CYCLE





ENERGY FLOWS & ENERGY FUTURE




ENERGY FLOWS & ENERGY FUTURE


HEATING/COOLING/FRESH AIR

- 1 26 (400-FOOT DEEP) CLOSED LOOP GEOTHERMAL WELLS
- 2 DEDICATED HEAT RECOVERY VENTILATION
- 3 CEILING FANS FOR THERMAL COMFORT
- ADIANT IN-FLOOR HEATING & COOLING

ENERGY PRODUCTION

6 244 KW PV ARRAY





MATERIALS & CONSTRUCTION

12

VOLUME OF WOOD USED: 24,526 CUBIC FEET



US & CANADIAN FORESTS GROW THIS MUCH WOOD IN: 2 MINUTES




CARBON STORED IN WOOD: 545 METRIC TONS OF COJ




AVOIDED GREENHOUSE GAS EMISSIONS: USB METRIC TONS OF CO_2



TOTAL POTENTIAL CARBON BENEFIT: 1703 METRIC TONS OF CO,








Bullitt Center

Plantings chosen should be:

- Natural to the area
- Perennial
- Able to survive with minimal watering
- Use NON potable (drinking) water
- Readjust our thinking about what is beautiful?















Targeting Living Building Challenge



Bill Fisch Forest Stewardship and Education Centre 2016 York Region, Ontario DIALOG Design



BILL FISCH FOREST STEWARDSHIP AND EDUCATION CENTRE

PETAL CERTIFIED

Whitchurch-Stouffville, ON

OVERVIEW



BILL FISCH FOREST STEWARDSHIP AND EDUCATION CENTRE


The Bill Fisch Forest Stewardship and Education Centre (BFFSEC) is designed to be an integral part of one of the most successful forest regeneration projects in the world with the purpose of helping residents of York-Region, and the extended community, learn about the importance of natural resources and forest ecosystems.

The DIALOG Project Team with the Regional Municipality of York, and corresponding Natural Heritage and Forestry team, worked

https://living-future.org/lbc/case-studies/bill-fisch-forest-stewardship-education-centre/

The first Living Building Challenge contender in Ontario, conservation strategies including:


- a high-performance envelope with R-40 walls and R-60 roof;
- a window-to-wall ratio of less than 30%;
- and triple-glazed windows oriented for optimal solar orientation
- 35kW photovoltaic array contributes to the net positive energy result. net zero water, with rain and well water meeting 100% of occupant needs.







http://www.sabmagazine.com/blog/2016/06/08/2016-ontario-regional-winner-and-technical-award-winner/



http://www.sabmagazine.com/blog/2016/06/08/2016-ontario-regional-winner-and-technical-award-winner/

🕑 Energy

Electrical System:
Photovoltaic solar panels w/micro-inverters
Net meter
Grid connection
Displacement fan
Air conditioning

Thermal System:


- 6 Solar heat gain
- Deep overhang shading
- 8 Radiant floor
- Ø Wood burning hearth
- 10 Heat recovery ventilator
- 0 Natural ventilation
- Triple-glazed window assembly

Insulation:

R60 roof assembly

R40 wall assembly

R30 insulated slab





Rainwater Harvesting:

- Central collection trough
- 2 Rainwater collection system
- 3 Rainwater cistern
- Mon-potable fixtures (toilets, urinals)
- 6 Vertical trough to ground
- 6 Ground infiltration


Wellwater:


- Existing well
- 8 Fire orotection reservoir
- Potable fixtures (sink, shower)

Wastewater Treatment:


- Sewage collection tank
- O Septic pump chamber
- Biofilter processing unit
- Tertiary water infiltration bed
- --- Non-potable water
- Potable water

Rainwater
 Well Water
 Ground Infiltration
 Blackwater
 Secondary Treated
 Tertiary Treated











https://living-future.org/lbc/case-studies/