




Complexity, Simplified

Terri Meyer Boake BES BArch MArch LEED AP University of Waterloo, Architecture

And what the heck is complexity in architecture?



Advent of Deconstructivism

Deconstructivism stems directly from the theoretical writings of the Algerian-French philosopher Jacques Derrida. He sought to dismantle the time-honored hierarchal ordering of the architectural world around binary oppositions such as Classicism versus Modernism, function over form, and interior versus exterior.

> Guggenheim Museum, Bilbao, Spain Frank Gehry



Complexity, Simplified

Advances in digital technologies over the past 20+ years have radically increased the tendency to design complex structures. For steel, this has expanded the use of highly angular geometries, curves, and Architecturally Exposed Structural Steel.

In keeping with the thought behind the category system for AESS that describes a range of approaches to the detailing of projects, this talk will look at a range of methods to address the design of complex steel structures. There are many ways to achieve *aesthetically driven visual complexity* and some can be <u>economically driven</u>.

Learning Objectives


- Understand what drives complexity in architectural steel design
- Understand what constitutes complexity in architectural steel design
- Understand the enhanced importance of good communication within the design team (architect, engineer, fabricator)
- Understand that there are types of complex steel
- Understand that complexity is normally visually driven
- Understand that there are choices that can be made to arrive at lower costs

What **Drives** Complexity in Architectural Steel?

- It is predominantly an **aesthetically driven act**
- It responds to stylistic concerns
- It has been facilitated by expanding digital capabilities in the AEC industry
- It gets more and more complex (chaotic and unusually curved steel elements) simply "because it can"
- For the most part fabrication has been able to keep up with the aesthetically driven desires of Architects
- But it certainly adds to the cost of the project

What **Constitutes** Complexity in Architectural Steel?


- Complexity in APPEARANCE
- Complexity in DESIGN REQUIREMENTS (Architectural, Engineering and Detailing)
- Complexity in FABRICATION
- Complexity in ERECTION



The Rise in Complexity in Architecture



- Starts with High Tech Architecture in the 1970s (modular + exposed steel)
- Pushed by Deconstructivist movement (irregular)
- Pushed by parametricism (curvature)
- Propelled by advances in computing



The **Cost** of Complexity

- Base point is the choice between angular and curved geometries
- Degree of irregularity in the (negating mass fabrication)
- 3. Exposed steel or concealed?
- 4. Using standard shapes or custom fabricated shapes



Complex Typologies

- 1. Mixture of Member Types
- 2. Three-dimensional Structural Types
- 3. Chaotic steel structures
- 4. Simple Curvature
- 5. Complex Curvature
- 6. Cast Connections
- 7. High Level of Custom Fabrication

Understanding the typology can help in determining the best methods for solving design issues arising from connections, fabrication and erection.

Obviously there is overlap between the types.

1. Mixture of Member Types



- Most basic approach
- Arose from High-Tech style
 - Highlights force differentiation in the member choice
- Often based on repeated elements
- Can take advantage of modular design and repetition
 - "Visual Complexity"


1. Mixture of Member Types



 Early complexity of fabrication and detailing arose from introduction of tubular steel members A shift from wide flange sections to tubular material and tensile reinforcing systems




1. Mixture of Member Types



 Changes from modular/regular to irregular geometry as we go from High-Tech to Deconstructivist



2. Three-dimensional Structural Types



- 3D geometry
- Cannot be solved as planar systems
- Often introduces irregularity
- Can include box or triangular trusses
- Includes diagrids and lattice/gridshell structures
- Often still a degree of repetition of details if not actual modularity

2. Three-dimensional Structural Types

- Often the members themselves might not be complex
- The arrangement challenges issues of balance for erectors
- Mixture of elements and members also creates visual complexity



2. Three-dimensional Structural Types

- Lattice/gridshell structures present different fabrication issues
- Complexity of interface with glazing
- All welded requirements due to extensive use of node type connections



3. Chaotic Steel Structures




- High degree of irregularity
- Virtually no repetition of connection design
- Deconstructivist style falls here
- Lack of simple modular design
- Often a variety of member type choices


NASCC: THE VIRTUAL STEEL CONFERENCE

3. Chaotic Steel Structures

- Much
 Deconstructivist
 work falls into
 this category
- Often no apparent order or repetition of details
- Erection challenges due to eccentric loads



3. Chaotic Steel Structures



 The use of 3D detailing software is critical to the construction of this work NASCC: THE

VIRTUAL STEEL

CONFERENCE

- Truly not possible to construct prior
- Extensive shop drawing requirements given the uniqueness inherent in all structural elements

3. Chaotic Steel Structures



 Such systems also impact the design and fabrication of cladding systems and glazing

- Costs can escalate due to all welded, remediated connection requirements
- Extensive scaffolding needed for site welding






- Addition of simple curved elements (uniform curves)
- Added complexity to the project of the additional expertise of the roller/bender
- Splicing issues

- Bend the steel
 - Using a 3 point smooth bending machine
 - Using a brake press
 - Heat applied bending
- Cut curved forms out of plate material









 As complicated as this project looks, it has been constructed from circular geometries





- Often parametrically driven Need to accommodate connections between discontinuous curves Variation in connection design due to changing angles
 - High level of customization




 Although the overall forms are simple, the creation of custom hollow box sections required a high level of precision in rolling the plate steel



- Non uniform curvature translates to the cladding
- Added engineering for non uniform configuration for loading



Image: Marc Fornes TheVeryMany



- Advanced modeling essential to the success of the project
- Note extent of one-of members
- Careful coordination of elements for transport and erection
- Puzzle-like



- Erection logistics
- Need for temporary shoring as the structure is unstable until complete

mages: Walters Inc.


 Uniform approach to connection design






- Parametrically driven curved geometries
- High level of AESS
- Seamless splices required on tubular materials
- Hidden integration of MEP into structural framework

6. Cast Connections



- Perhaps simpler in "appearance" but more complex in terms of engineering requirements
- Different erection and fabrication concerns
- Good way to solve complex geometries at points of member convergence

6. Cast Connections








- Size varies
- Can be for end conditions or major nodal points
- Hollow or solid as a function of loading



6. Cast Connections



- Essential to retain specialized engineering consultant to the project
- Oversees the casting

• Unique detailing due to the different surface condition of the casting



7. High Level of Custom Fabrication



- Marked shift to custom fabricated elements from plate steel
- High level of weld remediation
- Typically AESS 4 type category
- Use of plate rolling and brake forming
- Irregular curves and angular geometry

7. High Level of Custom Fabrication



- Often used in conjunction with complex curvature
- Greatly impacts the cost of construction



7. High Level of Custom Fabrication



The Shed New York City, NY

- Extensive plate cutting to create the widely varied nodes
- Entirely non orthogonal geometry

COMPLEX STEEL **STRUCTURES** NON-ORTHOGONAL GEOMETRIES

IN BUILDING WITH STEEL

TERRI MEYER BOAKE

CONTENTS

- FOREWORD by Walter Koppelaar
- 9 PREFACE

7

- PART 1 11 THE EVOLUTION OF COMPLEX GEOMETRY
- 11 1. The Rise of Complexity
- 11 The Modern Condition: Starting Point
- 12 A Change of Style 13 The Introduction
- of Complexity into Architectural Discourse
- 14 Emergence of Process-Based Thinking
- 16 Deconstructivism 19 To Expose or Not to Expose?
- Parametric Design 20
- 23 2. The Digital Revolution
- 23 The Link between Computing and Complexity
- 23 High Tech Architecture Sets the Stage
- 24 A Timeline of Software Advances
- 25 Smooth Curves 26 Building Information
- Modeling
- 27 Parametric Modeling 27 Matching the Software
- with the Expectations of the Project
- 29 3. Managing
- Complexity Defining Complexity
- 29 30 Complex Typologies
- 32 The Cost of Complexity

- PART 2 35 DESIGNING FOR COMPLEXITY -PRACTICAL CONSIDERATIONS
- 35 4. Fabricating the Steel 35 Communication and the
- Team Managing Element 36 Design Sizes 37 Connection Design
- 43 The Future of Fabrication
- 45 5. Corrosion Protection & Finishes 45
- AESS and Its Impact on Finish Selection. Corrosion Protection and Maintenance Protection Methods 46
- 49 Cleaning and Maintenance

51 6. Erection Logistics

- 51 Fighting Gravity
- 52 Staging Area 54 Shoring and Temporary
 - Support Systems
- 55 Lifting the Steel
- 56 Welding and Connection Processes on Site
- 57 Safety Issues
- PART 3 IMPLEMENTATION 67 STRATEGIES
- 67 7. Economically Driven Strategies
- 67 The Distance Factor
- 74 Semi-exposure and the Use of Screen Elements
- 86 Making the Steel Recede
- 92 Faking the Curve

- 95 8. Curved Geometries
- 96 Fabricating Curved Steel Degrees and Variations 97 in Curvature
- 112 Complex Curvature

9. Angular Geometries 117

- 117 Deconstructivist Beginnings
- 118 Concealed Systems
- 118 Modified Geodesic Systems
- 119 Architecturally Exposed Angular Geometries
- 131 10, Nodes
 - The Emergence of the 131 Node: Spaceframes
 - 133 The Evolution of the Node: Diagrids
 - 134 Node Functionality 136 From Diagrid Nodes
 - to More Widespread Applications
- 148 Cast Nodes
- 11. Lattice/Gridshell 165 Structures
- Basic Design Parameters 165
- 166 Member Types
- 167 Nodal Connections
- 168 Geometry Choices
- 173 Larger Lattices
- 183 APPENDIX
- 184 Selected Bibliographic References
- 185
- 186 188
- 189
- and Firms
- 190 About the Author
- 191 Colophon


ARCHITE

Ð

 \cap TURE Ī S -П

- Illustration Credits
- Subject Index
- Index of Buildings
- Index of Persons


Economically Driven Strategies:




- 1. The Distance Factor
- 2. Faking the Curve
- 3. Semi-exposure and the Use of Screen Elements
- 4. Making the Steel Recede

1. The Distance Factor

- Follows the same logic as AESS Category System
- Detailing can be softened the further from the view distance
- Implies higher level of fabrication up close and rougher detailing far away
- A layering of systems







Lĭ

 $\tilde{\mathbf{O}}$

Dist

гhе

- More refined AESS detailing with full welding for the columns
 - Selective weld remediation with fillet welds where the plate meets the tube left in, but splice welds remediated



Tokyo Midtown, Tokyo, Japan

cto

Fa

 $\widetilde{\mathbf{O}}$

Dista

The



- Welded connections between columns and white trusses unremediated
- Simpler members and bolted splice connections
- Highest level changes colour to visually recede and uses wide flanges

Tokyo Midtown, Tokyo, Japan

Factor

Distance

The



The high level truss structure also uses straight segments to create the illusion of a curved structure Details more obvious with the night lighting

Factor

Distance

The



- The distance factor allows for a softening of the details at the high ceiling level
- Only the bottom edge of the curved support beam is finished to AESS 2 type quality as the upper portion is concealed.


cto

Fa


 $\widetilde{\mathbf{O}}$

Dista

The



- The lighting and the choice of color have allowed for zero weld remediation on the splices between the segments of the tapered tubes
- The distance factor helps here
- The multiplication factor helped to justify the decision



Factor

S

Distan

The



- The extreme height of the Y supports necessitate site welding for the splice
 - You can see that the temporary tabs have been removed and their evidence not ground away
- Distance factor allows for little remediation

Shenzhen Cultural Center, Shenzhen, China

Factor

The Distance



- A highly angular structural geometry
- Large atrium spaces at the entrances with distant views

NASCC: THE VIRTUAL STEEL CONFERENCE

Shenzhen Cultural Center, Shenzhen, China

- High end use decided to clad the steel at the base of the structure obviating any need for fine steel detailing
- Skylight steel exposed but at a very distant view



Shenzhen Cultural Center, Shenzhen, China



Details located at height are fairly crude, but not seen




NASCC: THE VIRTUAL STEEL

CONFERENCE

2. Faking the Curve

-aking the

- True curved steel adds to the cost of the contract – specialty fabrication
- Consider that it is the APPEARANCE of curvature that is desired
- The SCALE of the project or element can allow the use of all straight segments
- Simpler fabrication and erection but high cost savings



Simplification through Straight Segments



Faking the Curve

- Overall scale plus viewing distance
- Use of all straight segments to create a faceted curve
- Distance to view allows for very simple bolted end connections

University of Phoenix Stadium, Phoenix, AZ

- Extremely large scale of building
- Exterior looks curved but is fabricated from all straight segments
- Able to make use of repetitive geometry

Faking the Curve

 Cladding also uses flat panels



University of Phoenix Stadium

- The curvature is built out
- Starts with very straight segments
- As the structure approaches the skin the facets become finer

Faking the Curve

 Organized to allow for horizontal cladding



Diamond Lantern, Beijing, China

- Elliptical plan
- Tower fabricated from all straight concrete filled tubes
- Nodes fabricated to make the curved transition
- Intended to look
 like a paper lantern
 so facets agree with
 the aesthetic idea



NASCC: THE VIRTUAL STEEL CONFERENCE

Diamond Lantern, Beijing, China

- Faceted design creates economy in the façade
- Allows for the use of flat insulated glass panels
- Modular design for the curtain wall



Disney Concert Hall, Los Angeles, CA


- Much of the steel that comprises the work of Gehry is straight
 - The curvature is achieved only at the level of the façade itself





Jay Pritzker Pavilion, Chicago, IL

 By separating the requirements of the structure from the cladding the fabrication can be simplified





 The aesthetic sought a rougher looking suite of bolted connections


3. Semi-exposure and the Use of Screen Elements

 Similar to "faking the curve" recognizes a separation of the aesthetic of the façade and the structure


<u>Use of Screen Elements</u>

Semi-Exposure &

- A partial view to the structure is allowed, meaning softening of the detailing requirements
- Creates a distance to view condition



Different Kinds of Materials can be Screens



- Various materials can be used in front of the steel to obscure the view
- Allows for a softening of the detailing
- Slats, ETFE, glass, perforated metal





Shenzhen Bao Airport, Shenzhen, China

Elements

Screen

of.

Jse

8

J J


Semi-Exposu



 Fairly standard space frame is used

- A bent, lightweight metal screen allows a partial view through to the structure
- Extensive skylights above
- Space frame and screen provide shading during the day

Shenzhen Bao Airport, Shenzhen, China



- Screen elements must be light enough to avoid loading the structure
- The bent shape provides rigidity

Also serves to obscure mechanical services

Shenzhen Bao Airport, Shenzhen, China


Screen Elements

of,

Jse

8

Semi-Exposure



The project also makes use of faceting versus true curvature in both the space frame and the screen


Beijing Capital Airport, Beijing, China

 Use of a slatted screen beneath the spaceframe structure

Jse of Screen Elements

Semi-Exposure &

- Allows for light to penetrate from the skylights above
- Provides spatial definition while still letting you feel the presence of the structure




Beijing Capital Airport, Beijing, China

- Continuity of appearance from interior to exterior
- Slats are panelized to allow for removal for maintenance
- Hide mechanical systems
- Project also has large scale curvature that uses a faked curve



The Louvre, Abu Dhabi, UAE



Large multi-layered screen serves as a mashrabiya type sun shade



The Louvre, Abu Dhabi, UAE
The space truss is around 5m deep

of Screen Elements

Jse


8

Semi-Exposure

Different screen elements on the exterior and exterior based on type of materials and level of perforation


The Louvre, Abu Dhabi, UAE

- Exterior view of the stainless steel screen elements
- Overlapping style creates more difficult paths for the sun to penetrate
- Very hot humid climate



The Louvre, Abu Dhabi, UAE

- Scant view from the interior through the screen to the structure
- Quite simple detailing of the connections
- Use of HSS shapes to preclude places for water/sand to build up (this is open air)




Caltrans HQ, Los Angeles, CA


- Deconstructivist style
- Use of perforated screens that allow partial or obscured views to the structure
- Consistent use of color to blend the two together



Caltrans HQ, Los Angeles, CA



Use of Screen Elements Semi-Exposure &



Caltrans HQ, Los Angeles, CA

NASCC: THE VIRTUAL STEEL CONFERENCE

San Francisco Federal Building, San Francisco, CA

 Perforated stainless steel screens that take on an angular, edgy look cover a very rectangular concrete office tower


of Screen Elements

Use

જ

Semi-Exposure

Galvanized steel frame supports and provides the form



San Francisco Federal Building, San Francisco, CA

 Placing the exposed highly angular, specialized elements at grade and close to view provides the overall angular feel of the project

Use of Screen Elements

8


Semi-Exposure

- Allows the detailing up high to be more simple
- Base provides the first impression




San Francisco Federal Building, San Francisco, CA

- Bolted splice
 connections
 between the shop
 fabricated larger
 elements
- Mix of member types to add to the eccentricity of the project
- Galvanized coating for durable exterior location



4. Making the Steel Recede

- Adjacency maybe used to shift the focus away from exposed supporting steel, thereby allowing to soften its fabrication detailing.
- The eye of the viewer will be drawn to a more finely detailed and polished part of a project
- The structural support system, though clearly visible, takes a visual back seat.
- The steel may also be completely clad, but still very perceptible as being a steel structure



Jewish Museum Courtyard, Berlin, Germany

 By the form, we know this to be steel

ced

Re

<u>Steel</u>

th

king

5

- Cladding permitted softening of the detailing
 - The cladding system was used to provide
 - Aesthetics
 - Fire protection
 - Route for MEP



Royal Ontario Museum, Toronto, Canada



cede

 \mathbf{Q}

- Diagrid type structures are typically constructed of steel
- Often clad for fire protection

 The structure does not need to be completely exposed for the steel to be appreciated or "felt"



The Vessel, New York City

- Large, prefabricated steel elements were essential to providing a self supporting central steel structure for this feature attraction
- The shiny copper colored cladding on the exterior takes main stage, making the steel support system recede from view



The Vessel, New York City



NASCC: THE VIRTUAL STEEL CONFERENCE

The Vessel, New York City





- Hidden bolted connections were used on site to facilitate an easier erection
- Modules were prefabricated in Italy and shipped by barge to the site




Lou Ruvo Brain Institute, Las Vegas, NV

- The formal exterior face is clad in stainless steel
- Exposed steel constitutes the back face, receding from view on the building exterior
- Detailing is rugged as per the Deconstructivist style of Frank Gehry



Lou Ruvo Brain Institute, Las Vegas, NV



- The steel elements are largely shop fabricated for welded connections
- Bolted connections on site

 There is a marked aesthetic contrast between the exterior view and the courtyard



Lou Ruvo Brain Institute, Las Vegas, NV

- The steel structure is completely clad in gypsum board on the interior for the function space
- The steel still has an aesthetic presence
 - Also even a coherence in spite of being fully exposed on the exterior and clad on the interior



Take Aways

- Complex steel structures require a higher than normal level of communication between the architect, engineer and fabricator
- Deciding on the AESS Category, level of exposure and type of complexity will assist in simplifying decision making
- Understand that complexity is visually driven
- There are choices in methodology that can allow for some increased economy for the project

TERRI MEYER BOAKE COMPLEX STEEL STRUCTURES NON-ORTHOGONAL **GEOMETRIES IN** BUILDING WITH STEEL



Terri Meyer Boake Professor School of Architecture | University of Waterloo

tboake@uwaterloo.ca http://www.tboake.com





•

ARCHITECTURE IN STEEL